

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listing, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A method for controlling a moveable barrier operating system comprising:  
receiving a generally available wireless time signal at a receiver;  
supplying a time-of-day at the output of the receiver;  
automatically resetting the receiver using the generally available wireless time signal when the time-of-day signal is different than a time represented by the generally available wireless time signal; and  
actuating a moveable barrier operator in response to the time-of-day output of the receiver.
2. (Currently amended) The method of claim 1 wherein receiving the generally available wireless time signal includes receiving a time signal indicating time from a clock reference.
3. (Original) The method of claim 1 wherein actuating the moveable barrier operator includes actuating the moveable barrier operator to close the movable barrier operator at a predetermined time.
4. (Original) The method of claim 1 wherein actuating the moveable barrier operator includes actuating a movable barrier operator to prevent the movement of a movable barrier operator at a predetermined time.

5. (Original) The method of claim 1 wherein actuating the moveable barrier operator includes actuating the movable barrier operator to open a movable barrier operator at a predetermined time.

6. (Currently amended) A method for controlling a moveable barrier operator comprising:  
receiving user input indicating when a moveable barrier should be actuated;  
adjusting a time signal representing the time-of-day in response to a received generally available wireless time signal;  
comparing the user input to the time signal; and  
actuating a movable barrier operator based upon comparing the user input to the signal.

7. (Currently amended) A system for controlling a movable barrier operator comprising:  
a receiver receiving a generally available wireless time signal and adjusting a time signal in response to the generally available received wireless time signal; and  
a movable barrier operator coupled to the receiver and receiving the generally available wireless time signal output, the movable barrier operator selectively actuating a movable barrier operator based upon the time signal output.

8. (Original) The system of claim 7 further comprising:  
a keypad communicatively coupled to the movable barrier operator for receiving user input, the user input including information indicating when an actuation of the movable barrier should occur.

9. (Original) The system of claim 8 wherein the information indicates closing the movable barrier operator at a predetermined time.

Application No. 10/145,799  
Reply to Office Action of February 17, 2005

10. (Original) The system of claim 8 wherein the information indicates preventing the movement of a movable barrier operator at a predetermined time.

11. (Original) The system of claim 8 wherein the information indicates opening a movable barrier operator at a predetermined time.

12. (Original) The system of claim 7 wherein the time signal is received from is a clock reference.

13. (Currently amended) A method for controlling a moveable barrier operating system comprising:  
receiving a generally available wireless time signal at a receiver;  
supplying the generally available wireless time signal at the output of the receiver;  
and  
actuating the moveable barrier operator using the generally available wireless time signal output of the receiver.

14. (Currently amended) A method for controlling a moveable barrier operating system comprising:  
receiving a generally available wireless time signal at a receiver;  
receiving information indicative of conditions involving the operation of the operating system;  
supplying a time-of-day at an output of the receiver;  
automatically resetting the receiver using the generally available wireless time signal when the time-of-day signal is different than a time represented by the generally available wireless time signal; and  
actuating a moveable barrier operator in response to the time-of-day output of the receiver and the information indicative of conditions involving the operation of the operating system.

15. (Original) The method of claim 14 wherein receiving information includes receiving information indicating the status of a garage door.

16. (Original) The method of claim 14 wherein receiving information includes receiving information indicating whether a garage door is obstructed.

17. (Original) The method of claim 14 wherein receiving the wireless time signal includes receiving a time signal indicating time from a clock reference.

18. (Original) The method of claim 14 wherein actuating the moveable barrier operator includes actuating the moveable barrier operator to close the movable barrier operator at a predetermined time.

19. (Original) The method of claim 14 wherein actuating the moveable barrier operator includes actuating a movable barrier operator to prevent the movement of a movable barrier operator at a predetermined time.

20. (Original) The method of claim 14 wherein actuating the moveable barrier operator includes actuating the movable barrier operator to open a movable barrier operator at a predetermined time.